



AMENDMENTS TO THE CLAIMS:

Kindly amend claims 13-18, as shown below.

This listing of claims will replace all prior versions and listings of claims in the
Application:

Claims 1-12 (canceled)

Claim 13 (currently amended): An arithmetic operation method for a cyclic redundancy check in an arithmetic operation circuit which performs arithmetic operations for error detection on data to be transmitted using a plurality of generative polynomials and is used in a communications system in which transmission of said data is accomplished by adding a result from each of said arithmetic operations to said data, said arithmetic operation method comprising:

first arithmetic operation processing by a first arithmetic operation section in which a first arithmetic operation is performed on said data by a specified number of bits using a first generative polynomial;

second arithmetic operation processing by a second arithmetic operation section in which a second arithmetic operation is performed on said data by a specified number of bits using at least one piece of a second generative polynomial being same as or different from said first generative polynomial; and

third arithmetic operation processing by a third arithmetic operation section in which a third arithmetic operation is performed on said data of a specified number of bits and on at least one piece of an arithmetic operation result being obtained at a midpoint in either of said first arithmetic operation or said second arithmetic operation, or in both said first arithmetic operation and second arithmetic operation

HAYES SOLOWAY P.C.
130 W. CUSHING STREET
TUCSON, AZ 85701
TEL. 520.882.7623
FAX. 520.882.7643

175 CANAL STREET
MANCHESTER, NH 03101
TEL. 603.668.1400
FAX. 603.668.8567

Claim 14 (currently amended): The arithmetic operation method for the cyclic redundancy check in said arithmetic operation circuit according to claim 13, wherein, in said third arithmetic operation processing by said third operation section, said third arithmetic operation is performed by handling said data of said specified number of bits as low-order bits and by handling at least one piece of said third arithmetic operation result as high-order bits.

Claim 15 (currently amended): An arithmetic operation method for a cyclic redundancy check in an arithmetic operation circuit which performs arithmetic operations for error detection on data to be transmitted using a plurality of generative polynomials and is used in a communications system in which transmission of said data is accomplished by adding a result from each of said arithmetic operations to said data, said arithmetic operation method comprising:

first arithmetic operation processing by a first arithmetic operation section in which a first arithmetic operation is performed on said data by 32 bits using a thirty-second order generative polynomial;

second arithmetic operation processing by a second arithmetic operation section in which a second arithmetic operation is performed on said data by 32 bits using a sixteenth order generative polynomial; and

third arithmetic operation processing by a third arithmetic operation section in which a third arithmetic operation is performed on said data of 32 bits and on the first arithmetic operation result of 32 bits being obtained at a midpoint in said first arithmetic operation processing using said sixteenth order generative polynomial.

Claim 16 (currently amended): The arithmetic operation method for the cyclic redundancy check in said arithmetic operation circuit according to claim 15, wherein, in said

third arithmetic operation processing by said third operation section, said third arithmetic operation is performed by 64 bits in total by handling said data of 32 bits as low-order bits and said arithmetic operation result of 32 bits as high-order bits.

Claim 17 (currently amended): An arithmetic operation method for a cyclic redundancy check in an arithmetic operation circuit which performs arithmetic operations for error detection on data to be transmitted using a plurality of generative polynomials and is used in a communications system in which transmission of said data is accomplished by adding a result from each of said arithmetic operations to said data, said arithmetic operation method comprising:

first arithmetic operation processing by a first arithmetic operation section in which a first arithmetic operation is performed on said data by 32 bits using a sixteenth order generative polynomial;

second arithmetic operation processing by a second arithmetic operation section in which a second arithmetic operation is performed on said data by 32 bits using said sixteenth order generative polynomial;

third arithmetic operation processing by a third arithmetic operation section in which a third arithmetic operation is performed on said data of 32 bits and on a first arithmetic operation result of 16 bits being obtained at a midpoint in said first arithmetic operation processing using said sixteenth order generative polynomial;

fourth arithmetic operation processing by a fourth arithmetic operation section in which a fourth arithmetic operation is performed on said data by 32 bits using said sixteenth order generative polynomial; and

fifth arithmetic operation processing by a fifth arithmetic operation section in which a fifth arithmetic operation is performed on said data of 32 bits, said first arithmetic operation result of 16 bits, and a second arithmetic operation result of 16 bits being obtained at a midpoint in said second arithmetic operation processing using said sixteenth generative polynomial.

Claim 18 (currently amended): The arithmetic operation method for the cyclic redundancy check by said arithmetic operation circuit according to claim 17, wherein, in said third arithmetic operation processing by said third arithmetic operation section, said arithmetic operation is performed by 48 bits in total by handling said data of 32 bits as low-order bits and said first arithmetic operation result of 16 bits as high-order bits and wherein, in said fifth arithmetic operation processing by said fifth arithmetic operation section, said fifth arithmetic operation is performed by 64 bits in total by handling said data of 32 bits as low-order bits, said first arithmetic operation result of 16 bits as middle-order bits, and said second arithmetic operation result of 16 bits as high-order bits.

Claim 19 (previously presented): An arithmetic operation circuit for a cyclic redundancy check which performs arithmetic operations for error detection on data to be transmitted using a plurality of generative polynomials and is used in a communications system in which transmission of said data is accomplished by adding a result from each of said arithmetic operations to said data, said arithmetic operation circuit comprising:

a first arithmetic operation section to perform a first arithmetic operation on said data by a specified number of bits using a first generative polynomial;

a second arithmetic operation section to perform a second arithmetic operation on said data by said specified number of bits using at least one piece of a second generative polynomial being same as or different from said first generative polynomial; and

a third arithmetic operation section to perform a third arithmetic operation on said data of said specified number of bits and on at least one piece of an arithmetic operation result being obtained at a midpoint in either of said first arithmetic operation or said second arithmetic operation, or in both said first arithmetic operation and said second arithmetic operation using at least one piece of said second generative polynomial.

Claim 20 (previously presented): The arithmetic operation circuit for the cyclic redundancy check according to claim 19, further comprising a data combining section to combine said data of said specified number of bits handled as low-order bits with at least one piece of said arithmetic operation result handled as high-order bits and to feed combined results to said third arithmetic operation section.

Claim 21 (previously presented): An arithmetic operation circuit for a cyclic redundancy check which performs arithmetic operations for error detection on data to be transmitted using a plurality of generative polynomials and is used in a communications system in which transmission of said data is accomplished by adding a result from each of said arithmetic operations to said data, said arithmetic operation circuit comprising:

a first arithmetic operation section to perform a first arithmetic operation on said data by 32 bits using a thirty-second order generative polynomial;

a second arithmetic operation section to perform a second arithmetic operation on said data by 32 bits using a sixteenth order generative polynomial; and

a third arithmetic operation section to perform a third arithmetic operation on said data of 32 bits and on an arithmetic operation result of 32 bits being obtained at a midpoint in said first arithmetic operation section using said sixteenth order generative polynomial.

Claim 22 (previously presented): The arithmetic operation circuit for the cyclic redundancy check according to claim 21, further comprising a data combining section to combine said data of 32 bits handled as low-order bits with said first arithmetic operation result of 32 bits handled as high-order and to feed combined results to said third arithmetic operation section.

Claim 23 (previously presented): An arithmetic operation circuit for a cyclic redundancy check which performs arithmetic operations for error detection on data to be transmitted using a plurality of generative polynomials and is used in a communications system in which transmission of said data is accomplished by adding a result from each of said arithmetic operations to said data, said arithmetic operation circuit comprising:

a first arithmetic operation section to perform a first arithmetic operation on said data by 32 bits using a sixteenth order generative polynomial;

a second arithmetic operation section to perform a second arithmetic operation on said data by 32 bits using said sixteenth order generative polynomial;

a third arithmetic operation section to perform a third arithmetic operation on said data of 32 bits and on a first arithmetic operation result of 16 bits being obtained at a midpoint in said first arithmetic operation section using said sixteenth order generative polynomial;

a fourth arithmetic operation section to perform a fourth arithmetic operation on said data by 32 bits using said sixteenth order generative polynomial; and

a fifth arithmetic operation section to perform a fifth arithmetic operation on said data of 32 bits, said first arithmetic operation result, and a second arithmetic operation result of 16 bits being obtained at a midpoint in said second arithmetic operation section using said sixteenth order generative polynomial.

Claim 24 (previously presented): The arithmetic operation circuit for the cyclic redundancy check according to claim 23, further comprising:

a first data combining section to combine said data of 32 bits with said first arithmetic operation result and to feed a combined result to said third arithmetic operation section, wherein as said combined result, said data of 32 bits is placed at low-order bits and said first arithmetic operation result is placed at high-order bits, and

a second data combining section to combine together said data of 32 bits, said first arithmetic operation result, and said second arithmetic operation result and to feed a combined result to said fifth arithmetic operation section, wherein as said combined result said data of 32 bits is placed at low-order bits and said first arithmetic operation result is placed at middle-order bits, and said second arithmetic operation result is placed at high-order bits.

HAYES SOLOWAY P.C.
130 W. CUSHING STREET
TUCSON, AZ 85701
TEL. 520.882.7623
FAX. 520.882.7643

175 CANAL STREET
MANCHESTER, NH 03101
TEL. 603.668.1400
FAX. 603.668.8567